



INTERNATIONAL
GEMOLOGICAL
INSTITUTE

ELECTRONIC COPY

LG442066516

LABORATORY GROWN DIAMOND REPORT

EDUCATIONAL AND SCIENTIFIC LABORATORY
FOR THE IDENTIFICATION AND GRADING
OF DIAMONDS AND COLORED STONES

GRADING SCALES

COLOR GRADING SCALE	CL		NC		FT	VLT		LT
	COLORLESS D-F		NEAR COLORLESS G-J		FAINT K-M	VERY LIGHT N-R		LIGHT S-Z
CLARITY (10X) GRADING SCALE	FL	IF	VVS		VS	SI		I
	FLAWLESS INTERNALLY FLAWLESS		VERY VERY SLIGHTLY INCLUDED		VERY SLIGHTLY INCLUDED	SLIGHTLY INCLUDED		INCLUDED

The laboratory grown diamond described in this Report (Report) has been graded, tested, analyzed, examined and/or inscribed by International Gemological Institute (IGI). A laboratory grown diamond is one that has essentially the same chemical, physical and optical properties as a mined diamond, with the exception of being grown by man (a manufactured product). IGI employs and utilizes those techniques and equipment currently available to IGI, including, without limitation, 10X magnification, corrected triplet loupe, binocular microscope, master color comparison stones, non-contact-optical measuring device, Diamond Sure™, Diamond View™, Spectrophotometer and such other instruments and/or processes as deemed appropriate by IGI. This Report includes advanced security features. A duly accredited gemologist or jeweler can advise you with respect to the importance of and interrelationship between cut, color, clarity and carat weight.

THIS REPORT IS NEITHER A GUARANTEE, VALUATION, NOR APPRAISAL OF THE GEMSTONE DESCRIBED HEREIN. PLEASE REVIEW THE LIMITATIONS AND RESTRICTIONS SET FORTH ONLINE. FOR ADDITIONAL INFORMATION, IMPORTANT LIMITATIONS AND DISCLAIMERS, PLEASE GO TO WWW.IGI.ORG OR CALL 1-888-BUY-IGIS.

© INTERNATIONAL GEMOLOGICAL INSTITUTE, INC.



PHOTO ENLARGED




LASERSCRIBE SM




ADDITIONAL INFORMATION

PROPORTIONS



CLARITY CHARACTERISTICS



KEY TO SYMBOLS

Red symbols indicate internal characteristics.
Green symbols indicate external characteristics.

This Report is subject to the terams and conditions

© IGI 2000, edition 2019 all rights reserved.

IGI LABORATORY GROWN DIAMOND GRADING
REPORT

09/27/2020

IGI Report Number **LG442066516**

Shape and Cutting Style **OVAL BRILLIANT**


Measurements **10.20 X 7.35 X 4.62 MM**

GRADING RESULTS

Carat Weight **2.22 CARATS**

Color Grade **I**

Clarity Grade **SI 1**



ADDITIONAL GRADING INFORMATION

Polish **EXCELLENT**

Symmetry **EXCELLENT**

Fluorescence **NONE**

Inscription(s) **LABGROWN IGI LG442066516**



IGI



09/27/2020 IGI Report No LG442066516 OVAL BRILLIANT	10.20 X 7.35 X 4.62 MM		2.22 CARATS	I	SI 1	62.9%	58.5%	Medium To Slightly Thick (Faceted)	Pointed	EXCELLENT	EXCELLENT	NONE	LABGROWN IGI LG442066516									
	Carat Weight	10.20	7.35	4.62	MM	2.22	Carat Weight	I	SI 1	62.9%	58.5%	Medium To Slightly Thick (Faceted)	Pointed	EXCELLENT	EXCELLENT	NONE	LABGROWN IGI LG442066516					
	Color Grade		I		SI 1		62.9%		58.5%		Medium To Slightly Thick (Faceted)		Pointed		EXCELLENT		EXCELLENT		NONE		LABGROWN IGI LG442066516	
	Clarity Grade		I		SI 1		62.9%		58.5%		Medium To Slightly Thick (Faceted)		Pointed		EXCELLENT		EXCELLENT		NONE		LABGROWN IGI LG442066516	
	Depth		62.9%		58.5%		Medium To Slightly Thick (Faceted)		Pointed		EXCELLENT		EXCELLENT		NONE		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516	
	Table		58.5%		Medium To Slightly Thick (Faceted)		Pointed		EXCELLENT		EXCELLENT		NONE		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516	
	Girdle		Medium To Slightly Thick (Faceted)		Pointed		EXCELLENT		EXCELLENT		NONE		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516	
	Culet		EXCELLENT		EXCELLENT		NONE		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516	
	Polish		EXCELLENT		EXCELLENT		NONE		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516	
	Symmetry		EXCELLENT		EXCELLENT		NONE		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516	
Fluorescence		NONE		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		
Inscription(s)		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		LABGROWN IGI LG442066516		