



INTERNATIONAL
GEMOLOGICAL
INSTITUTE

ELECTRONIC COPY

LABORATORY GROWN DIAMOND REPORT

October 11, 2025

IGI Report Number **LG741512149**

Description **LABORATORY GROWN DIAMOND**

Shape and Cutting Style **HEART BRILLIANT**

Measurements **7.58 X 8.93 X 4.99 MM**

GRADING RESULTS

Carat Weight **2.00 CARATS**

Color Grade **E**

Clarity Grade **VVS 1**

ADDITIONAL GRADING INFORMATION

Polish **EXCELLENT**

Symmetry **EXCELLENT**

Fluorescence **NONE**

Inscription(s) **IGI LG741512149**


Comments: As Grown - No indication of post-growth treatment.

This Laboratory Grown Diamond was created by High Pressure High Temperature (HPHT) growth process.


Type II

LG741512149
Report verification at igi.org

PROPORTIONS



CLARITY CHARACTERISTICS



KEY TO SYMBOLS

Red symbols indicate internal characteristics.

Green symbols indicate external characteristics.

LABORATORY GROWN DIAMOND REPORT



October 11, 2025

IGI Report Number

LG741512149

Description **LABORATORY GROWN DIAMOND**

HEART BRILLIANT

Measurements **7.58 X 8.93 X 4.99 MM**

GRADING RESULTS


Carat Weight **2.00 CARATS**

E

Color Grade **VVS 1**



Sample Image Used



ADDITIONAL GRADING INFORMATION

Polish **EXCELLENT**

Symmetry **EXCELLENT**

Fluorescence **NONE**

Inscription(s) **IGI LG741512149**

Comments: As Grown - No indication of post-growth treatment.

This Laboratory Grown Diamond was created by High Pressure High Temperature (HPHT) growth process.

Type II

www.igi.org

© IGI 2020, International Gemological Institute



FD - 10 20



October 11, 2025	IGI Report No LG741512149
HEART BRILLIANT	
7.58 X 8.93 X 4.99 MM	
Carat Weight	2.00 CARATS
Color Grade	E
Clarity Grade	VVS 1
Depth	55.9%
Table Grade	64%
Culet	Slightly Thick To Thick (Faceted)
Polish	EXCELLENT
Symmetry	EXCELLENT
Fluorescence	NONE
Inscription(s)	IGI LG741512149

Comments: As Grown - No indication of post-growth treatment. This Laboratory Grown Diamond was created by High Pressure High Temperature (HPHT) growth process.



IGI