



**ELECTRONIC COPY**

## LABORATORY GROWN DIAMOND REPORT

LG831602720  
Report verification at [igi.org](https://igi.org)


|                         |                          |
|-------------------------|--------------------------|
| September 1, 2026       |                          |
| IGI Report Number       | LG831602720              |
| Description             | LABORATORY GROWN DIAMOND |
| Shape and Cutting Style | ROUND BRILLIANT          |
| Measurements            | 7.22 - 7.24 X 4.44 MM    |
| GRADING RESULTS         |                          |
| Carat Weight            | 1.46 CARAT               |
| Color Grade             | FANCY YELLOW             |
| Clarity Grade           | VVS 2                    |
| Cut Grade               | EXCELLENT                |

### ADDITIONAL GRADING INFORMATION

|                |                                                                                                 |
|----------------|-------------------------------------------------------------------------------------------------|
| Polish         | EXCELLENT                                                                                       |
| Symmetry       | EXCELLENT                                                                                       |
| Fluorescence   | NONE                                                                                            |
| Inscription(s) |  LG831602720 |

Comments: As Grown - No indication of post-growth treatment.  
This Laboratory Grown Diamond was created by High Pressure High Temperature (HPHT) growth process.

## PROPORTIONS



Sample Image Used

## COLOR

D E F G H I J Faint Very Light Light


## CLARITY

| FL       | IF                  | VVS <sup>1-2</sup>          | VS <sup>1-2</sup>      | SI <sup>1-2</sup> | I <sup>1-3</sup> |
|----------|---------------------|-----------------------------|------------------------|-------------------|------------------|
| Flawless | Internally Flawless | Very Very Slightly Included | Very Slightly Included | Slightly Included | Included         |

## LABORATORY GROWN DIAMOND REPORT



|                         |                          |
|-------------------------|--------------------------|
| September 1, 2026       |                          |
| IGI Report Number       | LG831602720              |
| Description             | LABORATORY GROWN DIAMOND |
| Shape and Cutting Style | ROUND BRILLIANT          |
| Measurements            | 7.22 - 7.24 X 4.44 MM    |
| GRADING RESULTS         |                          |
| Carat Weight            | 1.46 CARAT               |
| Color Grade             | FANCY YELLOW             |
| Clarity Grade           | VVS 2                    |
| Cut Grade               | EXCELLENT                |



### ADDITIONAL GRADING INFORMATION

|                                                                                                                                                                               |             |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| Polish                                                                                                                                                                        | EXCELLENT   |
| Symmetry                                                                                                                                                                      | EXCELLENT   |
| Fluorescence                                                                                                                                                                  | NONE        |
| Inscription(s)                                                                                                                                                                | LG831602720 |
| <p>Comments: As Grown - No indication of post-growth treatment.</p> <p>This Laboratory Grown Diamond was created by High Pressure High Temperature (HPHT) growth process.</p> |             |



© IGI 2020, International Gemological Institute

FD - 10 20

**www.igi.org**



THIS DOCUMENT WAS PRODUCED WITH THE FOLLOWING SECURITY MEASURES: SPECIAL DOCUMENT PAPER, INK SCREENS, WATERMARK, BACKGROUND DESIGNS, HOLOGRAM AND OTHER SECURITY FEATURES NOT LISTED AND DO EXCEED DOCUMENT SECURITY INDUSTRY GUIDELINE

September 1, 2026  
IGI Report No LG8316  
ROUND BRILLIANT

7.22 - 7.24 X 4.44 MM

7.22 - 7.24 X 4.44 MM  
Carat Weight  
1.46 CARAT

|              |              |
|--------------|--------------|
| Carat Weight | 1.46 CARAT   |
| Color Grade  | FANCY YELLOW |

|     | Clarity Grade | WS 2 |
|-----|---------------|------|
| 1   |               |      |
| 2   |               |      |
| 3   |               |      |
| 4   |               |      |
| 5   |               |      |
| 6   |               |      |
| 7   |               |      |
| 8   |               |      |
| 9   |               |      |
| 10  |               |      |
| 11  |               |      |
| 12  |               |      |
| 13  |               |      |
| 14  |               |      |
| 15  |               |      |
| 16  |               |      |
| 17  |               |      |
| 18  |               |      |
| 19  |               |      |
| 20  |               |      |
| 21  |               |      |
| 22  |               |      |
| 23  |               |      |
| 24  |               |      |
| 25  |               |      |
| 26  |               |      |
| 27  |               |      |
| 28  |               |      |
| 29  |               |      |
| 30  |               |      |
| 31  |               |      |
| 32  |               |      |
| 33  |               |      |
| 34  |               |      |
| 35  |               |      |
| 36  |               |      |
| 37  |               |      |
| 38  |               |      |
| 39  |               |      |
| 40  |               |      |
| 41  |               |      |
| 42  |               |      |
| 43  |               |      |
| 44  |               |      |
| 45  |               |      |
| 46  |               |      |
| 47  |               |      |
| 48  |               |      |
| 49  |               |      |
| 50  |               |      |
| 51  |               |      |
| 52  |               |      |
| 53  |               |      |
| 54  |               |      |
| 55  |               |      |
| 56  |               |      |
| 57  |               |      |
| 58  |               |      |
| 59  |               |      |
| 60  |               |      |
| 61  |               |      |
| 62  |               |      |
| 63  |               |      |
| 64  |               |      |
| 65  |               |      |
| 66  |               |      |
| 67  |               |      |
| 68  |               |      |
| 69  |               |      |
| 70  |               |      |
| 71  |               |      |
| 72  |               |      |
| 73  |               |      |
| 74  |               |      |
| 75  |               |      |
| 76  |               |      |
| 77  |               |      |
| 78  |               |      |
| 79  |               |      |
| 80  |               |      |
| 81  |               |      |
| 82  |               |      |
| 83  |               |      |
| 84  |               |      |
| 85  |               |      |
| 86  |               |      |
| 87  |               |      |
| 88  |               |      |
| 89  |               |      |
| 90  |               |      |
| 91  |               |      |
| 92  |               |      |
| 93  |               |      |
| 94  |               |      |
| 95  |               |      |
| 96  |               |      |
| 97  |               |      |
| 98  |               |      |
| 99  |               |      |
| 100 |               |      |

|               |           |
|---------------|-----------|
| Quality Grade | VVS 2     |
| Cut Grade     | EXCELLENT |

|       |       |
|-------|-------|
| Depth | 61.4% |
|-------|-------|

|        |     |
|--------|-----|
| Table  | 61% |
| Girdle |     |

Girdle

|                | Pointed | Culet |
|----------------|---------|-------|
| in mm (x 1000) |         |       |

|        |           |
|--------|-----------|
| Cutler | Pointed   |
| Polish | EXCELLENT |

Symmetry

|                |                 |
|----------------|-----------------|
| Fluorescence   | NONE            |
| Inscription(s) | 1681 G881607220 |

| Inscription(s) | 1571 LG831602720 |
|----------------|------------------|
|                |                  |

**Comments:**  
As Grown - No Indication of post-growth

| As Grown - No Indication of post-growth treatment | Table Laboratory / Crown Diameter (mm) |
|---------------------------------------------------|----------------------------------------|
| 1                                                 | 1.5                                    |
| 2                                                 | 2.0                                    |
| 3                                                 | 2.5                                    |
| 4                                                 | 3.0                                    |
| 5                                                 | 3.5                                    |
| 6                                                 | 4.0                                    |
| 7                                                 | 4.5                                    |
| 8                                                 | 5.0                                    |
| 9                                                 | 5.5                                    |
| 10                                                | 6.0                                    |
| 11                                                | 6.5                                    |
| 12                                                | 7.0                                    |
| 13                                                | 7.5                                    |
| 14                                                | 8.0                                    |
| 15                                                | 8.5                                    |
| 16                                                | 9.0                                    |
| 17                                                | 9.5                                    |
| 18                                                | 10.0                                   |
| 19                                                | 10.5                                   |
| 20                                                | 11.0                                   |
| 21                                                | 11.5                                   |
| 22                                                | 12.0                                   |
| 23                                                | 12.5                                   |
| 24                                                | 13.0                                   |
| 25                                                | 13.5                                   |
| 26                                                | 14.0                                   |
| 27                                                | 14.5                                   |
| 28                                                | 15.0                                   |
| 29                                                | 15.5                                   |
| 30                                                | 16.0                                   |
| 31                                                | 16.5                                   |
| 32                                                | 17.0                                   |
| 33                                                | 17.5                                   |
| 34                                                | 18.0                                   |
| 35                                                | 18.5                                   |
| 36                                                | 19.0                                   |
| 37                                                | 19.5                                   |
| 38                                                | 20.0                                   |
| 39                                                | 20.5                                   |
| 40                                                | 21.0                                   |
| 41                                                | 21.5                                   |
| 42                                                | 22.0                                   |
| 43                                                | 22.5                                   |
| 44                                                | 23.0                                   |
| 45                                                | 23.5                                   |
| 46                                                | 24.0                                   |
| 47                                                | 24.5                                   |
| 48                                                | 25.0                                   |
| 49                                                | 25.5                                   |
| 50                                                | 26.0                                   |
| 51                                                | 26.5                                   |
| 52                                                | 27.0                                   |
| 53                                                | 27.5                                   |
| 54                                                | 28.0                                   |
| 55                                                | 28.5                                   |
| 56                                                | 29.0                                   |
| 57                                                | 29.5                                   |
| 58                                                | 30.0                                   |
| 59                                                | 30.5                                   |
| 60                                                | 31.0                                   |
| 61                                                | 31.5                                   |
| 62                                                | 32.0                                   |
| 63                                                | 32.5                                   |
| 64                                                | 33.0                                   |
| 65                                                | 33.5                                   |
| 66                                                | 34.0                                   |
| 67                                                | 34.5                                   |
| 68                                                | 35.0                                   |
| 69                                                | 35.5                                   |
| 70                                                | 36.0                                   |
| 71                                                | 36.5                                   |
| 72                                                | 37.0                                   |
| 73                                                | 37.5                                   |
| 74                                                | 38.0                                   |
| 75                                                | 38.5                                   |
| 76                                                | 39.0                                   |
| 77                                                | 39.5                                   |
| 78                                                | 40.0                                   |
| 79                                                | 40.5                                   |
| 80                                                | 41.0                                   |
| 81                                                | 41.5                                   |
| 82                                                | 42.0                                   |
| 83                                                | 42.5                                   |
| 84                                                | 43.0                                   |
| 85                                                | 43.5                                   |
| 86                                                | 44.0                                   |
| 87                                                | 44.5                                   |
| 88                                                | 45.0                                   |
| 89                                                | 45.5                                   |
| 90                                                | 46.0                                   |
| 91                                                | 46.5                                   |
| 92                                                | 47.0                                   |
| 93                                                | 47.5                                   |
| 94                                                | 48.0                                   |
| 95                                                | 48.5                                   |
| 96                                                | 49.0                                   |
| 97                                                | 49.5                                   |
| 98                                                | 50.0                                   |
| 99                                                | 50.5                                   |
| 100                                               | 51.0                                   |
| 101                                               | 51.5                                   |
| 102                                               | 52.0                                   |
| 103                                               | 52.5                                   |
| 104                                               | 53.0                                   |
| 105                                               | 53.5                                   |
| 106                                               | 54.0                                   |
| 107                                               | 54.5                                   |
| 108                                               | 55.0                                   |
| 109                                               | 55.5                                   |
| 110                                               | 56.0                                   |
| 111                                               | 56.5                                   |
| 112                                               | 57.0                                   |
| 113                                               | 57.5                                   |
| 114                                               | 58.0                                   |
| 115                                               | 58.5                                   |
| 116                                               | 59.0                                   |
| 117                                               | 59.5                                   |
| 118                                               | 60.0                                   |
| 119                                               | 60.5                                   |
| 120                                               | 61.0                                   |
| 121                                               | 61.5                                   |
| 122                                               | 62.0                                   |
| 123                                               | 62.5                                   |
| 124                                               | 63.0                                   |
| 125                                               | 63.5                                   |
| 126                                               | 64.0                                   |
| 127                                               | 64.5                                   |
| 128                                               | 65.0                                   |
| 129                                               | 65.5                                   |
| 130                                               | 66.0                                   |
| 131                                               | 66.5                                   |
| 132                                               | 67.0                                   |
| 133                                               | 67.5                                   |
| 134                                               | 68.0                                   |
| 135                                               | 68.5                                   |
| 136                                               | 69.0                                   |
| 137                                               | 69.5                                   |
| 138                                               | 70.0                                   |
| 139                                               | 70.5                                   |
| 140                                               | 71.0                                   |
| 141                                               | 71.5                                   |
| 142                                               | 72.0                                   |
| 143                                               | 72.5                                   |
| 144                                               | 73.0                                   |
| 145                                               | 73.5                                   |
| 146                                               | 74.0                                   |
| 147                                               | 74.5                                   |
| 148                                               | 75.0                                   |
| 149                                               | 75.5                                   |
| 150                                               | 76.0                                   |
| 151                                               | 76.5                                   |
| 152                                               | 77.0                                   |
| 153                                               | 77.5                                   |
| 154                                               | 78.0                                   |
| 155                                               | 78.5                                   |
| 156                                               | 79.0                                   |
| 157                                               | 79.5                                   |
| 158                                               | 80.0                                   |
| 159                                               | 80.5                                   |
| 160                                               | 81.0                                   |
| 16                                                |                                        |

**This Laboratory Grown Diamond was created by High Pressure High**

Temperature (HPHT) growth process.